



Real working speed: **300** packages per hour













Components: Siemens, Schneider, Omron, Eaton, Pizzato







Reduction of mistakes

Courier labels are automatically printed and applied, without manual intervention. There's no room for mistakes here.

Labor cost savings

Only one person is needed to operate, and the machine can packing 300 packages per hour.



High Safety Standard

Factory anti-crimping, anti-burn, anti-fault protection ensures fully safe operation, in accordance with EU standards.



The machine takes only as much as one manual working table, and provides 6 times faster processing



High versatility

Smooth packaging of single and multi-product orders in various sizes requires flexibility, which has finally been completely automated.



Specification

Model	Packer Plus P200
Functions	ScanningPackagingLabel printingLabeling
Dimensions of supported products	Length max : 650 [mm] Width max: 500 [mm] Height max: 160 [mm]
Capacity	Maximum speed: 650 packages/hour Real working speed: 300 packages/hour
Labels supported	Length: 40 - 180 [mm] Width: 40 - 100 [mm]
Printer	SATO CL4NX Plus (thermal/thermal transfer)
Components	Controller PLC: Simens Sensors: Omron Security: Schneider, Pizzato, Eaton
Communication	Ethernet, USB, RS232
Power supply	230V
Power	1500W
Pneumatics	0.5MPa, 0.07m³/min
Dimensions	1720 x 900 x 1750 [mm]
Weight	320kg



Sales Department: +48 17 789 1821 Office: +48 17 789 1820 Service: +48 17 789 1822

kontakt@packerplus.pl