

PACKER **PLUS**



Real working speed:
700-850
packages per hour



Maximum product
dimensions:
650x450x250mm



Fully automatic adjustment
of bag size to products



Integrated into **99% of**
WMS and ERP systems



Savings on consumables –
film, labels



Built-in printer:
ZEBRA ZE511



Components: **Siemens,**
Schneider, Sick



Watch
the video



Control panel

Clear and functional control panel that is easy to use and configure. A single point of simple operation.

Industrial-grade components

Automated equipment does not have to be noisy and huge. Precise engines and durable accessories ensure reliable and smooth operation without making noise or taking up space.




Film trays

The equipment supports a wide range of film widths thanks to its adjustable mounts. The large trays ensure continuous operation without frequent material refilling.



Sealing blade

The innovative film sealing blade is the result of intensive work by our Research and Development team. It ensures the durability and aesthetic appearance of the foil package.



Integrated printing and labelling

The machine supports the automatic printing and affixing all types of courier labels to packages. The machine flawlessly packs and labels your order in a split second.

Control cabinet

A clear circuit design guarantees safety, simplicity of upkeep and maintenance.



Specification

Model Packer Plus P400 Max

Functions

- Packaging
- Label printing
- Labelling

Dimensions of supported products

Length: 100 – 650 [mm]
Width: 10 – 450 [mm]
Height: 10 – 250 [mm]

Capacity

Maximum speed: 1200 packages/hour
Real working speed: 700-850 packages/hour

Labels supported

Length: 60 – 180 [mm]
Width: 70 – 100 [mm]

Printer

Zebra ZE511 (thermal/thermal transfer)

Components

Controller PLC: Siemens
Sensors: Omron
Security: Schneider, Sick, Eaton

Communication

Ethernet, USB

Power supply

230V

Power

3500W

Pneumatics

0.8 – 1.0MPa, 0.5m³/min

Dimensions

2600 x 1930 x 2050 [mm]

Weight

1050kg